



HIRE CATALOGUE



COUNT ON US

1800 440 550 | prestonhire.com.au

CONTENTS

1

SUPERDECK®

PLATFORM SYSTEM HIRE

2-7

CRANE HIRE

MINI CRANES - 1.72 - 2.98T

HYDRAULIC CRAWLER CRANES - 3.83 - 100.0T

8-9

EXCAVATOR HIRE

EXCAVATORS 5.3 - 36.0T

10

EWP HIRE

SPIDER LIFTS - 13.0 - 32.4M

ABOUT US

Preston Hire is committed to providing you with quality, specialised hire equipment for your construction, infrastructure, civil, and commercial hire needs.

We are proud of our people and our reputation for being a trusted and reliable team. You can COUNT ON US to get the job done.

Our range of specialised hire products has been thoughtfully selected to deliver solutions for all types of construction challenges. From loading and lifting to reaching, raising, renovating, and repairing, our fleet of products and our experienced team will assist you from start to finish.

No matter your industry or area of expertise, give us a call to discuss how we can help you!

INDUSTRY ASSOCIATIONS & ACCREDITATIONS





2.2

DIMENSIONS

Max. Outboard Width Of Deck 5250mm
2200mm

CAPACITY

Max. Load 5000kg
Tare Weight 2500kg

PROP OR BOLTDOWN OPTIONS AVAILABLE



3.2

DIMENSIONS

Max. Outboard Width Of Deck 5250mm
3200mm

CAPACITY

Max. Load 5000kg
Tare Weight 3000kg

PROP OR BOLTDOWN OPTIONS AVAILABLE



4.2

DIMENSIONS




Max. Outboard Width Of Deck 5250mm
4200mm

CAPACITY

Max. Load 5000kg
Tare Weight 3500kg

PROP OR BOLTDOWN OPTIONS AVAILABLE

*Custom solutions AVAILABLE ON REQUEST



Available accessories:



Extended Side Panels



Deck Roller



Deck Trolley



Deck Gate





MC174C

SPECIFICATIONS

Max. capacity	1720kg @ 1.0m
Max. working radius (main boom)	220kg @ 5.17m
Boom length (m)	5.5m

DIMENSIONS

Length (mm)	2000mm
Width (mm)	590mm
Height (mm)	1300mm
Weight (kg)	1290kg



MC285C

SPECIFICATIONS

Max. capacity	2820kg @ 1.4m
Max. working radius (main boom)	150kg @ 8.2m
Boom length (m)	8.5m

DIMENSIONS

Length (mm)	2715mm
Width (mm)	750mm
Height (mm)	1440mm
Weight (kg)	1720kg or 1960kg (Depending on Model)



MC285CB-3

SPECIFICATIONS

Max. capacity	2820kg @ 1.4m
Max. working radius (main boom)	150kg @ 8.2m
Max. lifting height (m)	8.5m

DIMENSIONS

Length (mm)	2715mm
Width (mm)	750mm
Height (mm)	1440mm
Weight (kg)	1995kg



MC305C

SPECIFICATIONS

Max. capacity	2980kg @ 2.5m
Max. working radius (main boom)	250kg @ 12.1m
Max. lifting height (m)	12.5m

DIMENSIONS

Length (mm)	4285mm
Width (mm)	1280mm
Height (mm)	1695mm
Weight (kg)	3770/3900kg





MC305CB-3

SPECIFICATIONS

Max. capacity	2820kg @ 1.4m
Max. working radius (main boom)	150kg @ 8.2m
Max. lifting height (m)	8.5m

DIMENSIONS

Length (mm)	2715mm
Width (mm)	750mm
Height (mm)	1440mm
Weight (kg)	1995kg



MC405C

SPECIFICATIONS

Max. capacity	3830kg @ 1.5m
Max. working radius (main boom)	210kg @ 16.4m
Max. lifting height (m)	21.0m

DIMENSIONS

Length (mm)	4980mm
Width (mm)	1380mm
Height (mm)	1980mm
Weight (kg)	5720kg



UNIC
URW-706

SPECIFICATIONS

Max. capacity	6000kg @ 3.0m
Max. working radius (main boom)	200kg @ 18.6m
Max. lifting height (m)	23.0m

DIMENSIONS

Length (mm)	5610mm
Width (mm)	1670mm
Height (mm)	2185mm
Weight (kg)	8370kg




MAEDA
MC815C

SPECIFICATIONS

Max. capacity	8090kg @ 2.4m
Max. working radius (main boom)	340kg @ 8.8m
Max. lifting height (m)	25.5m

DIMENSIONS

Length (mm)	5900mm
Width (mm)	1670mm
Height (mm)	2490mm
Weight (kg)	10230kg





LC383M-5

SPECIFICATIONS

Max. capacity	2930 kg @ 1.5m
Max. working radius (main boom)	200 kg @ 8.3m
Max. lifting height (m)	9.3m

DIMENSIONS

Length (mm)	4020mm
Width (mm)	1655mm
Height (mm)	2500mm
Weight (kg)	4400kg




LC785M-8

SPECIFICATIONS

Max. capacity	4900kg @ 2.1m
Max. working radius (main boom)	200kg @ 14.5m
Max. lifting height (m)	20.3m

DIMENSIONS

Length (mm)	5005mm
Width (mm)	2350mm
Height (mm)	2685mm
Weight (kg)	10420kg



LC1385M

SPECIFICATIONS

Max. capacity	6000kg @ 2.6m
Max. working radius (main boom)	430kg @ 16.1m
Max. lifting height (m)	22.0m

DIMENSIONS

Length (mm)	6545mm
Width (mm)	2490mm
Height (mm)	2965mm
Weight (kg)	15850kg



CC1485S

SPECIFICATIONS

Max. capacity	6000kg @ 2.6m
Max. working radius (main boom)	430kg @ 16.1m
Max. lifting height (m)	22.0m

DIMENSIONS

Length (mm)	6560mm
Width (mm)	2490mm
Height (mm)	2865mm
Weight (kg)	14560kg





613

SPECIFICATIONS

Max. capacity 15000kg @ 2.0m
 Max. working radius (main boom) 1100kg @ 17.3m
 Max. lifting height (m) 24.0m

DIMENSIONS

Length (mm) 8501mm
 Width (mm) 3000mm retracted, 4000mm extended
 Height (mm) 2921mm
 Weight (kg) 22000kg



SENEBOGEN

643R

SPECIFICATIONS

Max. capacity 40000kg @ 2.0m
 Max. working radius (main boom) 1500kg @ 27.1m
 Max. lifting height (m) 43.0m

DIMENSIONS

Length (mm) 9728mm
 Width (mm) 3000mm retracted, 4500mm extended
 Height (mm) 3226mm
 Weight (kg) 42000kg



SENEBOGEN


653R

SPECIFICATIONS

Max. capacity 50000kg @ 2.0m
 Max. working radius (main boom) 2200kg @ 26.0m
 Max. lifting height (m) 43.4m

DIMENSIONS

Length (mm) 10700mm
 Width (mm) 3000mm retracted, 4500mm extended
 Height (mm) 3180mm
 Weight (kg) 50200kg



LIEBHERR


LTR 1060

SPECIFICATIONS

Max. capacity 60000kg @ 2.0m
 Max. working radius (main boom) 1600kg @ 36m
 Max. lifting height (m) 56m

DIMENSIONS

Length (mm) 11385mm 3000mm retracted,
 Width (mm) 4800mm extended
 Height (mm) 3145mm
 Weight (kg) 62600kg





673E

SPECIFICATIONS

Max. capacity	70000kg @ 2.0m
Max. working radius (main boom)	1900kg @ 32.2m
Max. lifting height (m)	50m

DIMENSIONS

Length (mm)	12960mm
Width (mm)	3000mm retracted, 4800mm extended
Height (mm)	3195mm
Weight (kg)	69800kg



SANY

SCC800TB

SPECIFICATIONS

Max. capacity	80000kg @ 3.0m
Max. working radius (main boom)	1800kg @ 36.0m
Max. lifting height (m)	64m

DIMENSIONS

Length (mm)	14560mm
Width (mm)	3490mm retracted, 5100mm extended
Height (mm)	3640mm
Weight (kg)	86000kg



SANY

SCC100TB

SPECIFICATIONS

Max. capacity	100000 kg @ 3m
Max. working radius (main boom)	1100kg @ 48m
Max. lifting height (m)	59m

DIMENSIONS

Length (mm)	16230mm
Width (mm)	5250mm
Height (mm)	3630mm
Weight (kg)	105000kg



MOBILE CRANE



KATO

MR-130R CITY CRANE

SPECIFICATIONS


Max. capacity	13000kg @ 1.7m
Max. working radius (main boom)	320kg @ 22.5m
Max. lifting height (m)	30m

DIMENSIONS

Length (mm)	7440mm
Width (mm)	1995mm
Height (mm)	2845mm
Weight (kg)	13765kg



Available Accessories:



Chain Slings



Two way Radio



Lever Block/Chain Block



Headache Ball



Remote & Cable



Glass Lifter

Preston Hire offers a range of crane accessories, tailored to suit any hire needs. For more information about accessory items, speak to a SuperCrane™ specialist to find out what best suits your requirements.

Accessories available:



Chains/Slings - All purpose lifting equipment.



Two Way Radios - For communication.



Lever Block/Chain Block - Lever blocks are a manual hoist using a ratchet and pawl mechanical configuration to lift, lower, or pull a load and to apply or release tension.



Headache Ball - An auxiliary hook that can be hooked on a crane.



Remote & Cable - Cable remote controller for remote machine operation.



Glass Lifter - A convenient way to lift glass, metal, ceramic and other materials and position them for fixing. Vacuum technology is employed to grip the surface, making glass lifters an easy lifting solution.



SY50U

SPECIFICATIONS

Weight	5300 kg
Engine Power	29.1 kW/ 2400 rpm
Bucket Capacity	0.152 m3

DIMENSIONS

Length	5390mm
Width	1960mm
Height	2630mm




SY80U

SPECIFICATIONS

Weight	8800 kg
Engine Power	53.7 kW/ 2100 rpm
Bucket Capacity	0.28 m3

DIMENSIONS

Length	6500mm
Width	2220mm
Height	2550mm




SY135C

SPECIFICATIONS

Weight	15100kg
Engine Power	78.5 k@/2000rpm
Bucket Capacity	0.6m3

DIMENSIONS

Length	7700mm
Width	2590mm
Height	2820mm



SY155U

SPECIFICATIONS

Weight	16000 kg
Engine Power	78.5 kW/ 2000 rpm
Bucket Capacity	0.6 m3

DIMENSIONS

Length	7300mm
Width	2590mm
Height	2820mm





SANY
SY215C

SPECIFICATIONS

Weight 21900kg
 Engine Power 78.5 kW/ 2000 rpm
 Bucket Capacity 0.93 m3



SANY
SY265C

SPECIFICATIONS

Weight 27000kg
 Engine Power 142 kW/2000 rpm
 Bucket Capacity 1.3m3



SANY
SY305H

SPECIFICATIONS

Weight 31500 kg
 Engine Power 212 kW/ 2000 rpm
 Bucket Capacity 1.7 m3

DIMENSIONS

Length 9680mm
 Width 2980mm
 Height 2960mm



DIMENSIONS

Length 10290 mm
 Width 3990 mm
 Height 3140 mm



DIMENSIONS

Length 10667mm
 Width 3190mm
 Height 3280mm




SANY
SY365C

SPECIFICATIONS

Weight 36000 kg
 Engine Power 212 kW/ 2000 rpm
 Bucket Capacity 0.28 m3

DIMENSIONS

Length 11530mm
 Width 3190mm
 Height 3545mm



Available Accessories:



Rock Breaker



Ripper



Auger



Hydraulic Grab



Tilt Bucket



Compaction Wheel



16.74
TRANSPORT DIMENSIONS

Length	4440mm
Width	780mm
Height	199mm
Weight	2100kg

STABILISER FOOTPRINT

Length (max)	3000mm
Width (max)	3000mm

WORKING ENVELOPE

Height	15800mm
Reach	7400mm
Capacity	230kg



22.11
TRANSPORT DIMENSIONS


Length	5200mm
Width	945mm
Height	1970mm
Weight	3130kg

STABILISER FOOTPRINT

Length (min)	5954mm
Width (max)	3992mm

WORKING ENVELOPE

Height	22000mm
Reach	10900mm
Capacity	250kg



22.10
TRANSPORT DIMENSIONS


Length	5980mm
Width	980mm
Height	2070mm
Weight	3180kg

STABILISER FOOTPRINT

Length (max)	5050mm
Width (max)	3870mm

WORKING ENVELOPE

Height	21700mm
Reach	10300mm
Capacity	230kg



33.15
TRANSPORT DIMENSIONS

Length	7130mm
Width	1390mm
Height	1990mm
Weight	6800kg

STABILISER FOOTPRINT

Length (min)	6670mm
Width (max)	4610mm

WORKING ENVELOPE

Height	32400mm
Reach	14700mm
Capacity	230kg





SPECIALISED EQUIPMENT HIRE SOLUTIONS

Branches

Preston Hire - NSW
25-39 Chadderton Street,
Cabramatta NSW 2166
nswsales@prestonhire.com.au

Preston Hire - Hunter Region NSW
56 Sandringham Avenue,
Thornton NSW 2322
nswsales@prestonhire.com.a

Preston Hire - Auckland
31 Patiki Road, Avondale,
Auckland 1026, New Zealand
nzsales@prestonhire.co.nz

Preston Hire - QLD
83 Parramatta Road, Underwood,
QLD 4119
qldsales@prestonhire.com.au

Preston Hire - VIC/TAS
38-40 Sunline Drive,
Truganina, VIC 3029
vicsales@prestonhire.com.au

Preston Hire - Christchurch
984 Shands Road, Prebbleton,
Christchurch 7676, New Zealand
nzsales@prestonhire.co.nz

Preston Hire - WA/NT
Unit 2, 8 Hunt Street,
Malaga, WA 6090
wasales@prestonhire.com.au

Preston Hire - SA
102 Cormack Road,
Wingfield, SA 5013
sasales@prestonhire.com.au

**Preston Hire available across Oceania*



COUNT ON US

1800 440 550 | prestonhire.com.au